

Références

1. ITRC (2020): History and use of Per- and Polyfluoroalkyl Substances (PFAS): New Jersey Department of Environmental Protection. https://pfas-1.itrcweb.org/fact_sheets_page/PFAS_Fact_Sheet_History_and_Use_April2020.pdf
2. NIOSH (2022): Per- and polyfluoroalkyl Substances (PFAS). The National Institute for Occupational Safety and Health (NIOSH). 15. September 2022. <https://www.cdc.gov/niosh/topics/pfas/default.html>
3. NIEHS (2022): Perfluoroalkyl and Polyfluoroalkyl Substances (PFAS). National Institute of Environmental Health Science. 29. July 2022. <https://www.niehs.nih.gov/health/topics/agents/pfc/index.cfm>
4. Buck, R.C.; Franklin, J.; Berger, U.; Conder, J.M.; Cousins, I.T.; de Voogt, P.; Jensen, A.A.; Kannan, K.; Mabury, S.A.; van Leeuw, S.P.J. Perfluoroalkyl and polyfluoroalkyl substances in the environment: Terminology, classification, and origins. *Integr. Environ. Assess. Manag.* **2011**, *7*, 513–541.
5. 3M Voluntary Use and Exposure Information Profile for Perfluorooctanoic Acid and Salts. USEPA Administrative Record AR226-0595.2000. Available online <https://www.regulations.gov/document?D=EPA-HQ-OPPT-2002-0051-0009>
6. USEPA. EPA and 3M Announce Phase out of PFOS. Available online: https://archive.epa.gov/epapages/newsroom_archive/newsreleases/33aa946e6cb11f35852568e1005246b4.html
7. Maga, D.; Aryan, V.; Bruzzano, S. Environmental assessment of various end-of-life pathways for treating per- and polyfluoroalkyl substances in fire extinguishing waters. *Environ. Toxicol. Chem.* 2020. <https://setac.onlinelibrary.wiley.com/doi/10.1002/etc.4803>
8. Barbarossa, A.; Masetti, R.; Gazzotti, T.; Zama, D.; Astolfi, A.; Veyrand, B.; Pession, A.; Pagliuca, G. Perfluoroalkyl substances in human milk: A first survey in Italy. *Environ. Int.* **2013**, *51*, 27–30. <https://www.sciencedirect.com/science/article/pii/S0160412012002188?via%3Dihub>
9. Directive (UE) 2013/39/UE « Cadre sur l'eau » européenne (DCE), concernant le PFOS & dérivés (et pour d'autres substances prioritaires) <https://www.efsa.europa.eu/fr/news/pfas-food-efsa-assesses-risks-and-sets-tolerable-intake>
10. US EPA. EPA and 3M Announce Phase out of PFOS. Available online: https://archive.epa.gov/epapages/newsroom_archive/newsreleases/33aa946e6cb11f35852568e1005246b4.html
11. Chen, H.; Peng, H.; Yang, M.; Hu, J.; Zhang, Y. Detection, occurrence, and fate of fluorotelomer alcohols in municipal wastewater treatment plants. *Environ. Sci. Technol.* **2017**, *51*, 8953–8961. <https://pubs.acs.org/doi/10.1021/acs.est.7b00315>
12. Martin, J.W.; Mabury, S.A.; O'Brien, P.J. Metabolic products and pathways of fluorotelomer alcohols in isolated rat hepatocytes. *Chem. Biol. Interact.* **2005**, *155*, 165–180. <https://www.sciencedirect.com/science/article/abs/pii/S0009279705001754?via%3Dihub>
13. Backe, W.J.; Day, T.C.; Field, J.A. Zwitterionic, cationic, and anionic fluorinated chemicals in aqueous film forming foam formulations and groundwater from U.S. military bases by nonaqueous large volume injection HPLC-MS/MS. *Environ. Sci. Technol.* **2013**, *47*, 5226–5234. <https://pubs.acs.org/doi/10.1021/es3034999>
14. European Parliament. Directive 2006/122/EC of the European Parliament and of the Council of 12 December 2006. *Off. J. Eur. Union* **2006**, *372*, 32–34.
15. UNEP (United Nations Environmental Programme). Report of the Conference of the Parties of the Stockholm Convention on Persistent Organic Pollutants on the Work of Its Fourth Meeting. Available online: <http://chm.pops.int/TheConvention/ConferenceoftheParties/Meetings/COP4/COP4Documents/tabid/531/Default.aspx>.
16. Stoiber, T.; Evans, S.; Naidenko, O.V. : Disposal of products and materials containing per and polyfluoroalkyl substances (PFAS): A cyclical problem. *Chemosphere* **2020**, *260*, 127659. <https://www.sciencedirect.com/science/article/abs/pii/S0045653520318543?via%3Dihub>
17. Solo-Gabriele, H.M.; Jones, A.S.; Lindstrom, A.B.; Lang, J.R. : Waste type, incineration, and aeration are associated with per- and polyfluoroalkyl levels in landfill leachates. *Waste Manag.* **2020**, *107*, 191-200. <https://www.sciencedirect.com/science/article/abs/pii/S0956053X20301458?via%3Dihub>

18. US EPA. Per-and Polyfluoroalkyl Substances (PFAS): Incineration to Manage PFAS Waste Streams Background. https://www.epa.gov/sites/production/files/2019-09/documents/technical_brief_pfes_incineration_ioaa_approved_final_july_2019.pdf
19. Avendaño, S.; Liu, J. Production of PFOS from aerobic soil biotransformation of two perfluoroalkyl sulfonamide derivatives. *Chemosphere* **2015**, *119*, 1084–1090. <https://www.sciencedirect.com/science/article/abs/pii/S0045653514011345?via%3Dihub>
20. Eggen, T.; Moeder, M.; Arukwe, A. Municipal landfill leachates: A significant source for new and emerging pollutants. *Sci. Total Environ.* **2010**, *408*, 5147–5157. <https://www.sciencedirect.com/science/article/abs/pii/S0048969710007436?via%3Dihub>
21. Lang, J.R.; Allred, B.M.; Field, J.A.; Levis, J.W.; Barlaz, M.A. National estimate of per- and polyfluoroalkyl substance (PFAS) release to U.S. municipal landfill leachate. *Environ. Sci. Technol.* **2017**, *51*, 2197–2205. <https://pubs.acs.org/doi/10.1021/acs.est.6b05005>
22. LfU (Bavarian Environment Agency). Per- und Polyfluorierte Chemikalien in Bayern: Untersuchungen 2006–2018. Available [https://www.bestellen.bayern.de/application/applstarter?APPL=eshop&DIR=eshop&ACTIONxSETVAL\(artdtl,APGxNODENR:200594,AARTxNR:lfu_all_00153,AARTxNODENR:353133,USERxBODYURL:artdtl.htm,KATALOG:StMUG,AKATxNAME:StMUG,ALLE:x\)=X](https://www.bestellen.bayern.de/application/applstarter?APPL=eshop&DIR=eshop&ACTIONxSETVAL(artdtl,APGxNODENR:200594,AARTxNR:lfu_all_00153,AARTxNODENR:353133,USERxBODYURL:artdtl.htm,KATALOG:StMUG,AKATxNAME:StMUG,ALLE:x)=X)
23. McMurdo, C.J.; Ellis, D.A.; Webster, E.; Butler, J.; Christensen, R.D.; Reid, L.K. Aerosol enrichment of the surfactant PFO and mediation of the water-air transport of gaseous PFOA. *Environ. Sci. Technol.* **2008**, *42*, 3969–3974. <https://pubs.acs.org/doi/10.1021/es7032026>
24. Sinclair, E.; Mayack, D.T.; Roblee, K.; Yamashita, N.; Kannan, K. Occurrence of perfluoroalkyl surfactant in water, fish, and birds from New York State. *Arch. Environ. Contam. Toxicol.* **2006**, *50*, 398–410. <https://link.springer.com/article/10.1007/s00244-005-1188-z>
25. Ghisi, R.; Vamerali, T.; Manzetti, S. Accumulation of perfluorinated alkyl substances (PFAS) in agricultural plants: A review. *Environ. Res.* **2019**, *169*, 326–341 <https://www.sciencedirect.com/science/article/abs/pii/S0013935118305577?via%3Dihub>
26. Kannan, K.; Tao, L.; Sinclair, E.; Pastva, S.D.; Jude, D.J.; Giesy, J.P. Perfluorinated compounds in aquatic organisms at various trophic levels in a Great Lakes food chain. *Arch. Environ. Contam. Toxicol.* **2005**, *48*, 559–566. <https://link.springer.com/article/10.1007/s00244-004-0133-x>
27. Karg, F. (2021): Per et Polyfluoro Alkyl Substances: Pollution environnementale et Risque pour la Sante. Webinaire 22/10/2021. ARET : Association pour la Recherche en Toxicologie. <https://aret.asso.fr/prochain-webinaire-de-laret-le-22-octobre-2021-inscription-gratuite-ouverte/>
28. Kopf, L ; (2017) : Biotransformationsprozesse von Fluortelomeralkoholen/ PFC-Chemismus und FTOH-Analytik in der Bodenluft. Duale Hochschule Baden-Württemberg, Karlsruhe TSHE14.
29. Sunderland, E.M.; Hu, X.C.; Dassuncao, C.; Tokranov, A.K.; Wagner, C.C.; Allen, J.G. A review of the pathways of human exposure to poly- and perfluoroalkyl substances (PFASs) and present understanding of health effects. *J. Expo. Sci. Environ. Epidemiol.* **2019**, *29*, 131–147. <https://www.nature.com/articles/s41370-018-0094-1>
30. Khalil, N.; Ducatman, A.M.; Sinari, S.; Billheimer, D.; Hu, C.; Littau, S.; Burgess, J.L. Per-and polyfluoro alkyl substance and cardiometabolic markers in fire fighters. *J. Occup. Environ. Med.* **2020**, *62*, 1076–1081. https://journals.lww.com/joem/Abstract/2020/12000/Per_and_Polyfluoroalkyl_Substance_and_Cardio.16.aspx
31. Leary, D.B.; Takazawa, M.; Kannan, K.; Khalil, N. Perfluoroalkyl substances and metabolic syndrome in firefighters. *J. Occup. Environ. Med.* **2020**, *62*, 52–57. https://journals.lww.com/joem/Abstract/2020/01000/Perfluoroalkyl_Substances_and_Metabolic_Syndrome.9.aspx
32. Russell, M.H.; Himmelstein, M.W.; Buck, R.C. Inhalation and oral toxicokinetics of 6:2 FTOH and its metabolites in mammals. *Chemosphere* **2015**, *120*, 328–335. <https://www.sciencedirect.com/science/article/abs/pii/S0045653514009734?via%3Dihub>
33. Domingo, J.L.; Nadal, M. Human exposure to per- and polyfluoroalkyl substances (PFAS) through drinking water: A review of the recent scientific literature. *Environ. Res.* **2019**, *177*, 108648. <https://www.sciencedirect.com/science/article/abs/pii/S0013935119304451?via%3Dihub>

34. Winkens, K.; Vestergren, R.; Berger, U.; Cousins, I.T. Early life exposure to per- and polyfluoroalkyl substances (PFASs): A critical review. *Emerg. Contam.* **2017**, *3*, 55–68.
<https://www.sciencedirect.com/science/article/pii/S2405665017300033?via%3Dihub>
35. Faure, S.; Noisel, N.; Werry, K.; Karthikeyan, S.; Aylward, L.L.; St-Amand, A. Evaluation of human biomonitoring data in a health risk based context: An updated analysis of population level data from the Canadian Health Measures Survey. *Int. J. Hyg. Environ. Health* **2020**, *223*, 267–280.
<https://www.sciencedirect.com/science/article/pii/S1438463919304626?via%3Dihub>
36. Lau, C.; Anitole, K.; Hodes, C.; Lai, D.; Pfahles-Hutchens, A.; Seed, J.: Perfluoroalkyl acids: A review of monitoring and toxicological findings. *Toxicol. Sci.* **2007**, *99*, 366–394.
<https://academic.oup.com/toxsci/article/99/2/366/1679065>
37. Li, Y.; Fletcher, T.; Mucs, D.; Scott, K.; Lindh, C.H.; Tallving, P.; Jakobsson, K. Half-lives of PFOS, PFHxS and PFOA after end of exposure to contaminated drinking water. *Occup. Environ. Med.* **2018**, *75*, 46–51. <https://oem.bmj.com/content/75/1/46>
38. Butt, C.M.; Muir, D.C.G.; Mabury, S.A. Biotransformation pathways of fluorotelomer-based polyfluoroalkyl substances: A review. *Environ. Toxicol. Chem.* **2014**, *33*, 243–267.
<https://setac.onlinelibrary.wiley.com/doi/10.1002/etc.2407>
39. Nilsson, H.; Kärrman, A.; Rotander, A.; van Bavel, B.; Lindström, G.; Westberg, H. Biotransformation of fluorotelomer compound to perfluorocarboxylates in humans. *Environ. Int.* **2013**, *51*, 8–12.
<https://www.sciencedirect.com/science/article/pii/S0160412012001997?via%3Dihub>
40. Agency for Toxic Substances and Disease Registry (ATSDR): Toxicological Profile for Perfluoroalkyls (Draft for Public Comment). <https://www.atsdr.cdc.gov/toxprofiles/tp.asp?id=1117&tid=237>
41. DeWitt, J.C.; Shnyra, A.; Badr, M.Z.; Loveless, S.E.; Hoban, D.; Frame, S.R.; Cunard, R.; Anderson, S.E.; Meade, B.J.; Peden-Adams, M.M.; et al. Immunotoxicity of perfluorooctanoic acid and perfluorooctane sulfonate and the role of peroxisome proliferator-activated receptor alpha. *Crit. Rev. Toxicol.* **2009**, *39*, 76–94. <https://www.tandfonline.com/doi/full/10.1080/10408440802209804>
42. Dewitt, J.C.; Peden-Adams, M.M.; Keller, J.M.; Germolec, D.R. Immunotoxicity of perfluorinated compounds: Recent developments. *Toxicol. Pathol.* **2012**, *40*, 300–311.
<https://journals.sagepub.com/doi/10.1177/0192623311428473>
43. Foguth, R.; Sepúlveda, M.S.; Cannon, J. Per- and polyfluoroalkyl substances (PFAS) neurotoxicity in sentinel and non-traditional laboratory model systems: Potential utility in predicting adverse outcomes in human health. *Toxics* **2020**, *8*, 42. <https://www.mdpi.com/2305-6304/8/2/42>
44. Thompson, C.M.; Fitch, S.E.; Ring, C.; Rish, W.; Cullen, J.M.; Haws, L.C. Development of an oral reference dose for the perfluorinated compound GenX. *J. Appl. Toxicol.* **2019**, *39*, 1267–1282.
<https://analyticalsciencejournals.onlinelibrary.wiley.com/doi/10.1002/jat.3812>
45. Knutsen, H.K.; Alexander, J.; Barregård, L.; Bignami, M.; Brüschweiler, B.; Ceccatelli, S.; Cottrill, B.; Dinovi, M.; Edler, L.; Grasl-Kraupp, B.; et al. Risk to human health related to the presence of perfluorooctane sulfonic acid and perfluorooctanoic acid in food. *EFSA J.* **2018**, *16*, e05194.
<https://efsa.onlinelibrary.wiley.com/doi/full/10.2903/j.efsa.2018.5194>
46. US EPA. Health Effects Support Document for Perfluorooctanoic Acid (PFOA). https://www.epa.gov/sites/production/files/2016-05/documents/pfoa_hesd_final-plain.pdf **2020**
47. Fenton, S.E.; Ducatman, A.; Boobis, A.; DeWitt, J.C.; Lau, C.; Ng, C.; Smith, J.S.; Roberts, S.M. Per- and polyfluoroalkyl substance toxicity and human health review: Current State of knowledge and strategies for informing future research. *Environ. Toxicol. Chem.* **2020**.
<https://setac.onlinelibrary.wiley.com/doi/10.1002/etc.4890>
48. NTP (National Toxicology Program). Monograph on Immunotoxicity Associated with Exposure to Perfluorooctanoic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS). Available online: https://ntp.niehs.nih.gov/ntp/ohat/pfoa_pfos/pfoa_pfosmonograph_508.pdf (2020).
49. Oulhote, Y.; Steuerwald, U.; Debes, F.; Weihe, P.; Grandjean, P. Behavioral difficulties in 7-year old children in relation to developmental exposure to perfluorinated alkyl substances. *Environ. Int.* **2016**, *97*, 237–245.
<https://www.sciencedirect.com/science/article/abs/pii/S0160412016304202?via%3Dihub>
50. Luo, J.; Xiao, J.; Gao, Y.; Ramlau-Hansen, C.H.; Toft, G.; Li, J.; Obel, C.; Andersen, S.L.; Deziel, N.C.; Tseng, W.L.; et al. Prenatal exposure to perfluoroalkyl substances and behavioral difficulties in childhood

- at 7 and 11 years. *Environ. Res.* **2020**, 191, 110111.
<https://www.sciencedirect.com/science/article/abs/pii/S0013935120310082?via%3Dihub>
51. Blake, B.E.; Fenton, S.E. Early life exposure to per- and polyfluoroalkyl substances (PFAS) and latent Heath outcomes A review including the placenta as a target tissue and possible driver of peri- and postnatal effects. *Toxicology* **2020**, 443, 152565.
<https://www.sciencedirect.com/science/article/abs/pii/S0300483X20302043?via%3Dihub>
 52. Ballesteros, V.; Costa, O.; Iñiguez, C.; Fletcher, T.; Ballester, F.; Lopez-Espinosa, M.J. Exposure to perfluoroalkyl substances and thyroid function in pregnant women and children: A systematic review of epidemiologic studies. *Environ. Int.* **2017**, 99, 15–28.
<https://www.sciencedirect.com/science/article/pii/S0160412016306195?via%3Dihub>
 53. Kim, M.J.; Moon, S.; Oh, B.-C.; Jung, D.; Ji, K.; Choi, K.; Park, Y.J. Association between perfluoroalkyl substances exposure and thyroid function in adults: A meta-analysis. *PLoS ONE* **2018**, 13, e0197244.
<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0197244>
 54. Blake, B.E.; Pinney, S.M.; Hines, E.P.; Fenton, S.E.; Ferguson, K.K. Associations between longitudinal serum perfluoroalkyl substance (PFAS) levels and measures of thyroid hormone, kidney function, and body mass index in the Fernald Community Cohort. *Environ. Pollut.* **2018**, 242, 894–904.
<https://www.sciencedirect.com/science/article/abs/pii/S0269749118328185?via%3Dihub>
 55. Reardon, A.J.F.; Khodayari Moez, E.; Dinu, I.; Goruk, S.; Field, C.J.; Kinniburgh, D.W.; MacDonald, A.M.; Martin, J.W. Longitudinal analysis reveals early-pregnancy associations between perfluoroalkyl sulfonates and thyroid hormone status in a Canadian prospective birth cohort. *Environ. Int.* **2019**, 129, 389–399.
<https://www.sciencedirect.com/science/article/pii/S0160412018332094?via%3Dihub>
 56. Stanifer, J.W.; Stapleton, H.M.; Souma, T.; Wittmer, A.; Zhao, X.; Boulware, L.E. Perfluorinated chemicals as emerging environmental threats to kidney health: A scoping review: *Clin. J. Am. Soc. Nephrol.* **2018**, 13, 1479–1492.
https://journals.lww.com/cjasn/Fulltext/2018/10000/Perfluorinated_Chemicals_as_Emerging_Environmental.8.aspx
 57. Di Nisio, A.; Sabovic, I.; Valente, U.; Tescari, S.; Rocca, M.S.; Guidolin, D.; Dall'Acqua, S.; Acquasaliente, L.; Pozzi, N.; Plebani, M.; et al. Endocrine disruption of androgenic activity by perfluoroalkyl substances: Clinical and experimental evidence. *J. Clin. Endocrinol. Metab.* **2019**, 104, 1259–1271.
<https://academic.oup.com/jcem/article/104/4/1259/5158211>
 58. Ding, N.; Harlow, S.D.; Randolph, J.F.; Loch-Carus, R.; Park, S.K. Perfluoroalkyl and polyfluoroalkyl substances (PFAS) and their effects on the ovary. *Hum. Reprod. Update* **2020**, 26, 724–752.
<https://academic.oup.com/humupd/article/26/5/724/5848465>
 59. Liew, Z.; Luo, J.; Nohr, E.A.; Bech, B.H.; Bossi, R.; Arah, O.A.; Olsen, J. Maternal plasma perfluoroalkyl substances and miscarriage: A nested case-control study in the Danish National Birth Cohort. *Environ. Health Perspect.* **2020**, 128, 047007. <https://ehp.niehs.nih.gov/doi/10.1289/EHP6202>
 60. Di Nisio, A.; Rocca, M.S.; De Toni, L.; Sabovic, I.; Guidolin, D.; Dall'Acqua, S.; Acquasaliente, L.; De Filippis, V.; Plebani, M.; Foresta, C. Endocrine disruption of vitamin D activity by perfluoro-octanoic acid (PFOA). *Sci. Rep.* **2020**, 10, 16789. <https://www.nature.com/articles/s41598-020-74026-8>
 61. Consonni, D.; Straif, K.; Symons, J.M.; Tomenson, J.A.; Van Amelsvoort, L.G.P.M.; Sleuwenhoek, A.; Cherie, J.W.; Bonetti, P.; Colombo, I.; Farrar, D.G. **Cancer risk** among tetrafluoroethylene synthesis and polymerization workers. *Am. J. Epidemiol.* **2013**, 178, 350–358.
<https://academic.oup.com/aje/article/178/3/350/98898>
 62. Barry, V.; Winqvist, A.; Steenland, K. Perfluorooctanoic acid (PFOA) exposures and incident cancers among adults living near a chemical plant. *Environ. Health Perspect.* **2013**, 121, 1313–1318.
<https://ehp.niehs.nih.gov/doi/10.1289/ehp.1306615>
 63. Vieira, V.M.; Hoffman, K.; Shin, H.-M.; Weinberg, J.M.; Webster, T.F.; Fletcher, T. Perfluorooctanoic Acid exposure and cancer outcomes in a contaminated community: A geographic analysis. *Environ. Health Perspect.* **2013**, 121, 318–323. <https://ehp.niehs.nih.gov/doi/10.1289/ehp.1205829>
 64. Chang, E.T.; Adami, H.-O.; Boffetta, P.; Cole, P.; Starr, T.B.; Mandel, J.S. A critical review of perfluorooctanoate and perfluorooctanesulfonate exposure and cancer risk in humans. *Crit. Rev. Toxicol.* **2014**, 44, 1–81. <https://www.tandfonline.com/doi/full/10.3109/10408444.2014.905767>
 65. Hanahan, D.; Weinberg, R.A. The hallmarks of cancer. *Cell* **2000**, 100, 57–70.
[https://www.cell.com/cell/fulltext/S0092-8674\(00\)81683-](https://www.cell.com/cell/fulltext/S0092-8674(00)81683-)

- [9?_returnURL=https%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS0092867411001279%3Fshowall%3Dtrue](https://www.cell.com/cell/fulltext/S0092-8674(11)00127-9?_returnURL=https%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS0092867411001279%3Fshowall%3Dtrue)
66. Hanahan, D.; Weinberg, R.A. Hallmarks of cancer: The next generation. *Cell* **2011**, *144*, 646–674. [https://www.cell.com/cell/fulltext/S0092-8674\(11\)00127-9?_returnURL=https%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS0092867411001279%3Fshowall%3Dtrue](https://www.cell.com/cell/fulltext/S0092-8674(11)00127-9?_returnURL=https%3A%2F%2Flinkinghub.elsevier.com%2Fretrieve%2Fpii%2FS0092867411001279%3Fshowall%3Dtrue)
67. Temkin, A.M.; Hocevar, B.A.; Andrews, D.Q.; Naidenko, O.V.; Kamendulis, L.M. Application of the Key characteristics of carcinogens to per and polyfluoroalkyl substances. *Int. J. Environ. Res. Public Health* **2020**, *17*, 1668. <https://www.mdpi.com/1660-4601/17/5/1668>
68. Smith, M.T.; Guyton, K.Z.; Gibbons, C.F.; Fritz, J.M.; Portier, C.J.; Rusyn, I.; DeMarini, D.M.; Caldwell, J.C.; Kavlock, R.J.; Lambert, P.F.; et al. Key characteristics of carcinogens as a basis for organizing data on mechanisms of carcinogenesis. *Environ. Health Perspect.* **2016**, *124*, 713–721. <https://ehp.niehs.nih.gov/doi/10.1289/ehp.1509912>
69. Guyton, K.Z.; Rusyn, I.; Chiu, W.A.; Corpet, D.E.; van den Berg, M.; Ross, M.K.; Christiani, D.C.; Beland, F.A.; Smith, M.T. Application of the key characteristics of carcinogens in cancer hazard identification. *Carcinogenesis* **2018**, *39*, 614–622. <https://academic.oup.com/carcin/article/39/4/614/4883395>
70. Emerce, E.; Çetin, Ö. Genotoxicity assessment of perfluoroalkyl substances on human sperm. *Toxicol. Ind. Health* **2018**, *34*, 884–890. <https://journals.sagepub.com/doi/10.1177/0748233718799191>
71. Butenhoff, J.L.; Kennedy, G.L.; Chang, S.C.; Olsen, G.W. Chronic dietary toxicity and carcinogenicity study with ammonium perfluorooctanoate in Sprague-Dawley rats. *Toxicology* **2012**, *298*, 1–13. <https://www.sciencedirect.com/science/article/abs/pii/S0300483X12001151?via%3Dihub>
72. Peters, J.M.; Shah, Y.M.; Gonzalez, F.J. The role of peroxisome proliferator-activated receptors in carcinogenesis and chemoprevention. *Nat. Rev. Cancer* **2012**, *12*, 181–195. <https://www.nature.com/articles/nrc3214>
73. Behr, A.C.; Lichtenstein, D.; Braeuning, A.; Lampen, A.; Buhrke, T. Perfluoroalkylated substances (PFAS) affect neither estrogen and androgen receptor activity nor steroidogenesis in human cells in vitro. *Toxicol. Lett.* **2018**, *291*, 51–60. <https://www.sciencedirect.com/science/article/abs/pii/S0378427418301164?via%3Dihub>
74. Wielsøe, M.; Kern, P.; Bonfeld-Jørgensen, E.C. Serum levels of environmental pollutants is a risk factor for breast cancer in Inuit: A case control study. *Environ. Health A Glob. Access Sci. Source* **2017**, *16*, 56. <https://ehjournal.biomedcentral.com/articles/10.1186/s12940-017-0269-6>
75. International Agency for Research on Cancer (IARC). Some Chemicals Used as Solvents and in Polymer Manufacture. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans; International Agency for Research on Cancer: Lyon, France, **2016**; Volume 110, ISBN 978-92-832-0148-9.
76. US EPA(2020) :Health Effects Support Document for Perfluorooctane Sulfonate (PFOS). Available online: https://www.epa.gov/sites/production/files/2016-05/documents/pfos_hesd_final_508.pdf (2020).
77. Brasse, R.A. ; Mullin, E.J. & Spink, D.C. (2021): Legacy and Emerging Per- and Polyfluoroalkyl Substances. *International Journal of Molecular Science MDPI*, 22? 995. <https://doi.org/10.3390/ijms22030995>
78. ANSES (2015) : Connaissances relatives à la réglementation, à l'identification, aux propriétés chimiques à la production et aux usages des composés de la famille des Perfluorés (Tome 1). <https://www.anses.fr/fr/system/files/SUBCHIM2009sa0331Ra-101.pdf>
79. ANSES (2015) : Connaissances relatives aux données de contamination et aux expositions par des composés de la famille des Perfluorés (Tome 2). <https://www.anses.fr/fr/system/files/SUBCHIM2009sa0331Ra-102.pdf>
80. Biel, W.; Zeilmaker, M. ; Fragki, S.; Lijzen, J.; Verbruggen, E.; Bokkers, B. (2020): Risk Assessment of Per- and Polyfluoroalkyl Substance Mixtures: A Relative Potency Factor Approach. *Environmental Toxicology and Chemistry Volume 40, Issue 3 p. 859-870* <https://doi.org/10.1002/etc.4835> <https://setac.onlinelibrary.wiley.com/doi/abs/10.1002/etc.4835>
81. ANSES (2015) : Connaissances relatives aux données de toxicité sur les composés de la famille des Perfluorés (Tome 3). <https://www.anses.fr/fr/system/files/SUBCHIM2009sa0331Ra-103.pdf>
82. Bil, W. ; Zeilmaker, M. ; Fragki, S.; Lijzen, J.; Verbruggen, E.; Bokkers, B. (2020): Risk Assessment of Per- and Polyfluoroalkyl Substance Mixtures: A Relative Potency Factor Approach. *Environmental Toxicology*

- and Chemistry Volume 40, Issue 3 p. 859-870 <https://doi.org/10.1002/etc.4835>
<https://setac.onlinelibrary.wiley.com/doi/abs/10.1002/etc.4835>
83. ANSES (2017): AVIS de l'Agence nationale de sécurité sanitaire de l'alimentation, de l'environnement et du travail relatif à l'évaluation des risques sanitaires d'alkyls per- et polyfluorés dans les eaux destinées à la consommation humaine. Saisine n° 2015-SA-0105 Saisine liée n° 2012-SA-0001
<https://www.anses.fr/fr/system/files/EAUX2015SA0105.pdf>
 84. US-EPA (2016) : Health Effects Support Document for Perfluorooctanoic Acid (PFOA).EPA 822-R-16-003.
https://www.epa.gov/sites/default/files/2016-05/documents/pfoa_hesd_final_508.pdf
 85. EFSA (2018): Risk to human health related to the presence of perfluorooctane sulfonic acid and perfluorooctanoic acid in food. European Food Safety Authority.
<https://www.efsa.europa.eu/en/efsajournal/pub/5194>
<https://efsa.onlinelibrary.wiley.com/doi/epdf/10.2903/j.efsa.2018.5194>
 86. ITRC (2022): PFAS — Per- and Polyfluoroalkyl Substances. Interstate Technology Regulatory Council. Juni 2022. <https://pfas-1.itrcweb.org/9-site-risk-assessment/>
 87. Stockholm Convention: Perfluorooctanoic acid (PFOA), its salts and PFOA-related compounds.
<http://chm.pops.int/Implementation/Alternatives/AlternativestoPOPs/ChemicalslistedinAnnexA/PFOA/tabid/8292/Default.aspx>
 88. Wang, N. Szostek, B., Buck, R.C., Folsom, P.W., Sulecki, L.M., Gannonet, J.T. (2009): Fluortelomer alcohol aerobic soil biodegradation : Pathways, metabolites and metabolite yields. Chemosphere. Volume 75, Issue 8, May 2009, Pages 1089-1096
<http://www.sciencedirect.com/science/article/pii/S0045653509000496>
 89. Liu, J., Avendaño, S.M. (2013): Microbial degradation of polyfluoroalkyl chemicals in the environment: a review. Environment international. 1 November 2013, DOI:10.1016/j.envint.2013.08.022. Corpus ID: 28773717. <https://www.semanticscholar.org/paper/Microbial-degradation-of-polyfluoroalkyl-chemicals-Liu-Avenda%C3%B1o/cd3c413c79adf7cec83822997cf350a9705cd23d>
 90. Zhanga, Z., Sarkara, D., Kumar, J., Datta, B.R. (2022): Biodegradation of per- and polyfluoroalkyl substances (PFAS): A review. Bioresource Technology, Volume 344, Part B, January 2022, 126223
<https://www.sciencedirect.com/science/article/abs/pii/S0960852421015650>
 91. Wang, Z.Y., Cousins, I.T., Scheringer, M., Hungerbuhler, K. (2013): Fluorinated alternatives to long-chain perfluoroalkyl carboxylic acids (PFCAs), perfluoroalkane sulfonic acids (PFASs) and their potential precursors, Environ. Int., 2013, 60, 242–248. <https://pubmed.ncbi.nlm.nih.gov/24660230/>
 92. ATSDR (2021): Toxicological Profile for Perfluoroalkyls. Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/toxprofiles/tp200-p.pdf>
 93. MDHHS (2019): Michigan Department of Health and Human Services, Division of Environmental Health Michigan PFAS Action Response Team Human Health Workgroup. Public health drinking water screening levels for PFAS.
https://www.michigan.gov/documents/pfasresponse/MDHHS_Public_Health_Drinking_Water_Screening_Levels_for_Pfas_651683_7.pdf
 94. TCEQ (2016) : Perfluoro Compounds (PFCs): RfD Values. Texas Commission on Environmental Quality
<https://www.tceq.texas.gov/assets/public/implementation/tox/evaluations/pfcs.pdf>
 95. UBA (2010): Sanierungsmanagement für lokale und flächenhafte PFAS-Kontaminationen. Texte 137/2020. Umweltbundesamt, Berlin.
https://www.umweltbundesamt.de/sites/default/files/medien/1410/publikationen/2020-07-13_texte_137-2020_handbuch_pfas.pdf
 96. UBA (2010): Sanierungsmanagement für lokale und flächenhafte PFAS-Kontaminationen Anhang A. Texte 137/2020. Umweltbundesamt, Berlin.
https://www.umweltbundesamt.de/sites/default/files/medien/1410/publikationen/2020-07-13_texte_137-2020_handbuch_pfas-anhang-a.pdf
 97. UBA (2010): Sanierungsmanagement für lokale und flächenhafte PFAS-Kontaminationen Anhang B. Texte 137/2020. Umweltbundesamt, Berlin.
https://www.umweltbundesamt.de/sites/default/files/medien/1410/publikationen/2020-07-13_texte_137-2020_handbuch_pfas-anhang-b.pdf

98. BfR (2018): Perfluorierte Verbindungen PFOS und PFOA sind in Lebensmitteln unerwünscht. Bundesinstitut für Risikobewertung. <https://www.bfr.bund.de/cm/343/perfluorierte-verbindungen-pfos-und-pfoa-sind-in-lebensmitteln-unerwuensch.pdf>
99. EFSA (2018): Risk to human health related to the presence of perfluorooctane sulfonic acid and perfluorooctanoic acid in food. European Food Safety Authority. <https://www.efsa.europa.eu/en/efsajournal/pub/5194>
<https://efsa.onlinelibrary.wiley.com/doi/epdf/10.2903/j.efsa.2018.5194>
100. NJ-DW-QI (2017): HEALTH-BASED MAXIMUM CONTAMINANT LEVEL SUPPORT DOCUMENT: PERFLUOROOCANOIC ACID (PFOA). New Jersey Drinking Water Quality Institute Health Effects Subcommittee February 15, 2017. <https://www.state.nj.us/dep/watersupply/pdf/pfoa-appendixa.pdf>
101. State of New Hampshire Environmental Services (2019): Direct Contact Risk-Based Soil Concentrations for Perfluorooctanoic acid (PFOA), Perfluorooctane sulfonate (PFOS), Perfluorohexane sulfonic acid (PFHxS) and Perfluorononanoic acid (PFNA): State of New Hampshire, December 11, 2019. <https://www4.des.state.nh.us/nh-pfas-investigation/wp-content/uploads/PFAS-DCRB-value-121119.pdf>
102. US Department of Defense (Assessed 27/02/2022): Appendix I - PFAS Toxicity Profiles. <https://defence.gov.au/Environment/PFAS/docs/Tindal/Reports/201806HHRAAppIToxicityProfiles.pdf>
103. UBA (2016): HBM I values for Perfluorooctanoic acid (PFOA) and Perfluorooctanesulfonic acid (PFOS) in blood plasma Statement of the German Human Biomonitoring Commission (HBM Commission). Announcement of the German Environment Agency (UBA). Bundesgesundheitsbl 2016 · 59:1364 DOI 10.1007/s00103-016-2437-1. <https://link.springer.com/content/pdf/10.1007/s00103-016-2437-1.pdf>
<https://link.springer.com/article/10.1007/s00103-016-2437-1>
104. Wie-Chun Chou, Zhoumeng Lin (2020): Probabilistic human health risk assessment of perfluorooctane sulfonate (PFOS) by integrating in vitro, in vivo toxicity, and human epidemiological studies using a Bayesian-based dose-response assessment coupled with physiologically based pharmacokinetic (PBPK) modeling approach. Environment International, Volume 137, April 2020, 105581. <https://www.sciencedirect.com/science/article/pii/S016041201933805X>
<https://reader.elsevier.com/reader/sd/pii/S016041201933805X?token=134AF5A3441CFB49FFE7BBA90CE64A74DDF7936B3178BEF86DE71342FFBADF1A81613100CDB6638F9DEE07BFEF182C65&originRegion=eu-west-1&originCreation=20220227001829>
105. US-EPA (2021): Health & Environmental Research Online (HERO). United States Environmental Protection Agency. https://hero.epa.gov/hero/index.cfm/reference/details/reference_id/5026091
106. US-EPA (2019): Systematic Review Protocol for the Perfluorodecanoic Acid (PFDA) IRIS Assessments (Preliminary Assessment Materials). United States Environmental Protection Agency. https://cfpub.epa.gov/si/si_public_record_report.cfm?Lab=NCEA&count=10000&dirEntryId=345088&search=&showcriteria=2&simplesearch=0&timstype=
107. Monti, C.; Rose, N.; Negley, T. (2021): PFAS Fingerprinting: A multivariate forensic analysis to detect the origin and extent of PFAS contamination in Northern Italy. SETAC 2021 ; 3- 6 May, 2021.
108. Monti, C. (2022): PFAS Fingerprinting: A multivariate forensic analysis to detect the origin and extent of PFAS contamination in Northern Italy. Minutes of International PFAS Congress, 20 October 2022, Paris. https://www.saturne.net/mud/index.php?d=pfas_congress22_abstracts_pg
109. UPDS (2021): Les Polluants emergent. La Magasine des Professions de dépollution des sites. No 9, Juin 2021. https://www.fnade.org/ressources/_pdf/2/3425-UPSD_Mag_9.pdf
110. Held, T. (2020) : Precursor. Altlastenspektrum . 06/2020.p. 225. https://www.altlastenspektrum-itva.de/neuheft6_20.html
111. Georgi, J., Bscho, J., Bruns, J., Mackenzie, K., Saecidi, N., Kopinke, F.D. (2020): Precursor. Altlastenspektrum . 06/2020, p. 232. https://www.altlastenspektrum-itva.de/neuheft6_20.html
112. AFSSET, Karg, F. et al (2010) : Valeurs toxicologiques de référence (VTR) pour les substances cancérigènes (Toxicological Reference Values for cancerogenic Compounds) - Méthode de construction de VTR fondées sur des effets cancérigènes - Saisine n°2004/AS16. Agence Française de Sécurité Sanitaire de l'Environnement et du Travail, 05/2010 (aujourd'hui ANSES : Agence Nationale de Sécurité Sanitaire). http://www.afsset.fr/upload/bibliotheque/141844903203317036420911165719/VTR_cancer_methodologie_afsset_mars10.pdf

-
113. Karg, F. (2010) : Recensement des menaces environnementales pour la santé publique et l'importance de la pollution de l'air ambiant. Rapport de l'INVS / Inventory of environmental threats on public health and links with ambient air pollution. INVS report – Minutes AtmosFair, Lyon 28/09/2010.
 114. Solal, C. Jabbour, V., El Ghissassi, F., Karg, F., Enriquez, B., Rousselle, C., Bodin, L. (2010) : Carcinogenic Toxicological Reference Values for Chloronitrobenzene Isomers. Poster : IUTOX Barcelona : 07/2010.
 115. Karg, F. (2011): Methodology of risk management in case of exposure uncertainties on working places with special regard on contaminated sites and buildings. Minutes INTERSOL, Lyon le 29/03/2011.
 116. Karg, F. & Vircondelet, S. (2011): Méthodologies EQRS & ARRp de Gestion et Technologies de Réhabilitation des Zones contaminées par le Chlordécone: La Gestion Globale (Methodology of Quantified and preventive Health Risk Assessments for site specific Remediation Goals and Remediation Technologies for Zones contaminated with the Chlordecone Pesticide). Remédiation à la Pollution par la Chlordécone aux Antilles. PRM : Cahier du Pôle de Recherche Agro-environnementale de la Martinique. N° 9-10, 04-2011, p. 76 – 84.
<https://www.caec-carib.org/content/download/4541/33344/version/2/file/Rem%C3%A9diation+%C3%A0+la+pollution+par+la+chlord%C3%A9cone+aux+Antilles.pdf>
 117. Glorennec, P., Karg, F. et al. (2011) : Améliorations de la démarche d'évaluation des risques sanitaires : contribution de la section « Méthodologie d'évaluation des risques sanitaires » de la SFSE. (Optimization of Health Risk Assessments). ERS : Environnement, Risques & Santé. Vol. 10. No 2, March – April 2011.
 118. Karg, F. (2012): Internationaler State-of-the-Art der standortspezifischen Risikobewertung / International State-of-the-Art concerning Contaminated Site HRA: Health Risk Assessments. Script of Symposium. ITVA-Symposium. Hamburg 22-23/03/2012.
 119. Karg, F. & Kopytynski, W. (2012) : EQRS : Evaluation Quantitative des Risques Sanitaires et réhabilitation dans le cas des pollutions par des additifs, impuretés et métabolites / Exemples : Picloram, Bromacile, Chlordécone, 2,4-D et Glyphosate/AMPA en Europe, Asie (Chine et Vietnam) et Amérique du Sud / TERQ: Toxicological Exposure Risk Quantification and remediation in case of environmental contamination by pesticide additives, impurities and metabolites: Examples of Picloram, Bromacile, Chlordecone, 2,4-D and Glyphosate/AMPA in Europe, Asia (China & Vietnam) and South America). Minutes of INTERSOL 2012, Paris-Ivry 27-30/03/2012.
 120. Glorennec, P., Imbert, M., Ronga-Pezeret, S., Karg, F., Bonvallot, N., Boulanger, G., Maurau, S., Guillossou, G. & Rouhan, A. (2012) : Objectifs et résultats attendus d'une évaluation des risques sanitaires. (Goals of Health Risk Assessments) Section "Méthodologie d'évaluation des risques sanitaires" de la SFSE. Objectifs et résultats attendus d'une évaluation des risques sanitaires. Environnement Risque Sante 2012 ; 11 : 240-2. doi : 10.1684/ers.2012.0541
 121. Karg, F. (2012): Combined professional and Residential Toxicological Exposure Risks by VOC. AtmosFair Congress Book, Lyon / France 26-27/09/2012.
 122. Karg, F. (2013) : Les risques combines professionnels et résidentiels d'exposition toxicologiques via l'air ambiant par les COV / Ambient Air Combined professional and Residential Toxicological Exposure Risks by VOC. Minutes of Congress, Intersol Lyon / France : 26 – 28th of March 2013.
 123. Karg, F. (2013): Consideration of emerging pollutants in the indoor air / La prise en compte des polluants émergents dans l'air intérieur. Minutes of Congress. AtmosFair, Paris, 25-26 September 2013.
 124. Karg, F. (2013): Using the Toxicological Exposure Risk Quantification (TERQ) to assess potential combination effects; Fresenius Akademie Mainz / Mayence / Germany: Public Seminar Documents: "Human Health" 13./14. November 2013.
 125. Karg, F., Robin-Vigneron, L., Vircondelet, S. (2013): Cancer Risk Occurrence on Contaminated Sites: Experience Feed-back on HRA: Health Risk Assessments on 160 sites in France and Germany. Poster on Congress: Congrès National de la SFSE (Société Française de la Santé – Environnement) : Cancer et l'Environnement – CNRS, Lyon 28 – 29 November 2013.
 126. Karg, F. (2013): Health risk based Dioxin & POP Management in EC: European Community: PCDD/F-& PCB-Contaminations & Methodology for site investigations, health risk assessment and remediation. Sharing Lessons-Learned - Dioxin/POPs Pollution Assessment and Remediation in Vietnam. Minutes of Congress - Da Nang, Vietnam, December 1-4, 2013.
 127. Karg, F. (2016): MOA-Methodology of Risk Assessment and Exposure on Pollutant Cocktails (Agent Orange & Agent Blue, Dioxins, Pesticides, Chloro-phenols, Arsenic). Méthodologie MOA des évaluations
-

- des expositions aux cocktails de polluants : Agent Orange et Agent Bleu, etc. (Dioxines, Pesticides, Chlorophenols, Arsenic). Intersol Congress Minutes, Lille 16th of March 2016
128. PORTELIUS, E., DURIEU, E., BODIN, M., CAM, M., PANNEE, J., LEUXE, C., MABONDZO, A., OUMATA, N., GALONS, H., LEE, Y., CHANG, Y-T., STÜBER, K., KOCH, P., FONTAINE, G., POTIER, M-C., MANOUSOPOULOU, A., GARBIS, S., COVACI, A., VAN DAM, D., DE DEYN, P., KARG, F., FLAJOLET, M., OMORI, C., HATA, S., SUZUKI, T., BLENNOW, K., ZETTERBERG, K. and MEIJER, L. (2016): Specific triazine herbicides induce amyloid β 42 Production. *Journal of Alzheimer's Disease*, 54 (2016) p.1593–1605. DOI 10.3233/JAD-160310, IOS Press.
 129. Karg, F. (2017) : CWA Chemical Warfare Agents: Case Studies on Environmental Chemistry, Site Investigations, Risk Assessment and Site Decontamination & Remediation. Intersol, Lyon / France, 16th of March 2017. Minutes of Congress.
 130. Karg, F. (2017): Identification, Monitoring, Risk Assessment and Management of Cities' & Quarter specific Air Pollution in addition to « standard » Pollutants Parameters. Minutes of Congress: AtmosFair, Lyon France, 10-11th of October 2017.
 131. Karg, F. (2018): Internationale Ansätze in der Gefährdungsabschätzung im Vergleich zum deutschen Bodenschutzrecht. (International Approaches of Health Risk Assessments in Comparaison with German Regulations) Seminar: Wirkungspfad Boden – Mensch: Regierungspräsidium Stuttgart (Seminar: Exposures from Soil to Humans. Stuttgart / Germany 20/02/2018. Minutes of Seminar.
 132. Karg, F. (2019): Needs for Technical & Regulatory Management for contaminations by PFT (PFAS): Poly- & Perfluorinated Tensides: Study cases for Environmental Chemistry, site Investigations, Risk Assessment and Site Decontamination & Remediation (Besoins de Gestion technico-réglementaire des Contaminations par des TPF : Tensioactifs Poly- & Perfluorés : Etudes de cas concernant la chimie environnementale, les évaluations des risques et la décontamination & réhabilitation des sites pollués. Minutes of Congress INTERSOL Lille / France: 26th to 28th of March 2019.
 133. Karg, F. (2021): Per et Polyfluoro Alkyl Substances: Pollution environnementale et Risque pour la Sante. Webinaire 22/10/2021. ARET : Association pour la Recherche en Toxicologie. <https://aret.asso.fr/prochain-webinaire-de-laret-le-22-octobre-2021-inscription-gratuite-ouverte/>
 134. Karg, F. (2021): Case Studies of Polluted Site Management in Case of non-acceptable toxic Risks by Indoor Air Contamination via volatile Pollutants (Polar & Chlorinated Solvents: TCE, PCE, DCE, VC and also BTEX, HC5-16, etc.) / Etudes de Cas de Gestion des Sites Pollués à Impact à Risque Sanitaire non-acceptable des polluants volatils des Sites pollués sur l'air ambiant intérieur des entreprises et des locaux résidentiels (Solvants polaires & chlorés : TCE, PCE, DCE, VC et aussi BTEX, HC5-16, etc.). Minutes of Congress INTERSOL , Paris, 07 – 09/09/2021.
 135. Karg, F. (2022): TERQ-Modell zur Rückrechnung von Raumluftkonzentrationen (PCB aus Fugen, Anstrichen, Deckenplatten, etc.) sowie bei anderen Schadstoffen zur Ermittlung der Notwendigkeit von Sanierungsmaßnahmen (TERQ*-Model for Definition of Needs for Building Remediation & Decontamination in Case of PCB-Presence in In-Door Ambient Air)/ Gesundheitsgefahren durch PCB in Gebäuden (Health Risks by PCB in Buildings). DECONex Fachkongress Schadstoffmanagement / Congress Pollution Management in Buildings. Essen / Germany 19-20/01/2022. Meeting Minutes.
 136. ATSDR (2021) : Toxicological Profile for Perfluoroalkyls. Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/toxprofiles/tp200-p.pdf>
 137. BRGM (2014): Guide relatif aux mesures constructives utilisables dans le domaine des SSP ; BRGM/RP-63675-FR <https://infoterre.brgm.fr/rapports/RP-63675-FR.pdf>
 138. Karg, F. (2022): ERP sensibles (Ecoles, Crèches) & Habitations et Diagnostics, Evaluation des Risques Toxicologiques et Traitements des PFAS, notamment les FTOH : Fluorotéломère-Alcools volatils / **Public Site Use Scenarios (Schools, Kindergartens & Residences and Site Investigation, Toxicological Health Risk Assessments (TERQ) and Treatments of PFAS, especially volatile FTOH: Fluorotelomere Alcohols**. INTERSOL 2022, Lyon / France: 21-23/06/2022, Congress Minutes. https://www.saturne.net/mud/index.php?d=intersol2022_abstracts_pg
 139. Karg, F. (2022): PFAS: Poly- & Perfluorierte aliphatische Substanzen: Vorkommen, Umweltchemie und Management Seminar zum PFAS-Management (PFC/PFT): Technische & juristische Lösungen zum Management bei PFAS-Altlasten (Boden & Grundwasser sowie bei Bodengas & Raumluftkontaminationen mit FTOH = flüchtige PFAS). HPC INTERNATIONAL-Seminar: Düsseldorf-Ratingen 27.09.2022.

-
140. Karg, F. (2022): PFAS: Management of Pollution and Health Risks: Site Investigations, Environmental Chemistry, Risk Assessment (sensitive ERP and others), Regulatory Thresholds and Treatments (including volatile PFAS FTOH in soils, groundwater, soil gas & ambient air). International PFAS-Congress ARET-SFSE-HPC INTERNATIONAL, Paris 20 October 2022. Minutes of Congress. https://www.saturne.net/mud/index.php?d=pfas_congress22_abstracts_pg
141. Karg, F, Hintzen, U., ROBIN-VIGNERON, L., MOSTERSTEG, S. (2022): Einzelfallprüfung bei PFAS. Altlastenspektrum 06.2022, 31. Jahrgang, Dezember 2022, Seiten 157 – 204. <https://altlastendigital.de/ce/einzelfallpruefung-bei-pfas/detail.html>
142. Trang, B., Li, Y., Xue, X.-S., Ateia, M., Houk, K.-N., Dichtel, W.-R.: (2022): Low-temperature mineralization of perfluorocarboxylic acids. Science, Vol. 377, No. 6608, p. 839 – 845. <https://www.science.org/doi/10.1126/science.abm8868>
143. Karg, F. (2022): **Management of FTOH: Fluorotelomere Alcohols (volatile PFAS) in ambient air of public site use scenarios (schools, kindergartens) & residences: site investigation, toxicological health risk assessments (TERQ)** / Gestion des FTOH: Fluorotélomère-Alcools (PFAS volatils) dans l'air ambiant des ERP sensibles (écoles, crèches) & habitations : diagnostics et évaluation des risques toxicologiques. AtmosFair, Lyon: 20 & 21/09/2022. Congress Minutes. https://www.saturne.net/mud/index.php?d=atmosfair2022_program_abstracts
144. Karg, F. (2022): Actualized Legal framework of PFAS management in Soil, Groundwater and soil & discharge effluents and Leachates in Germany and France & EC wide potential evolution of the legislation concerning PFAS management in the next years. RemTech, Ferrara – Italia, 22/09/2022. Minutes of Congress.
145. Karg, F. (2022): PFAS: Poly- & Perfluorierte aliphatische Substanzen: Vorkommen, Umweltchemie und Management Seminar zum PFAS-Management (PFC/PFT): Technische & juristische Lösungen zum Management bei PFAS-Altlasten (Boden & Grundwasser sowie bei Bodengas & Raumluftkontaminationen mit FTOH = flüchtige PFAS). HPC INTERNATIONAL-Seminar: Düsseldorf-Ratingen 27.09.2022.
146. Bundesministerium für Umwelt, Naturschutz und nukleare Sicherheit (2022): Leitfaden zur PFAS-Bewertung. Stand: 21.02.2022. https://www.bmu.de/fileadmin/Daten_BMU/Download_PDF/Bodenschutz/pfas_leitfaden_bf.pdf
147. BAuA (2014): Bundesanstalt für Arbeitsschutz und Arbeitsmedizin: Technische Regeln für Gefahrstoffe, TRGS 402, Abschnitt 5.2.1 Stoff- und Bewertungsindex, http://www.baua.de/de/Themen-von-A-Z/Gefahrstoffe/TRGS/pdf/TRGS-402.pdf?__blob=publicationFile&v=7
148. LAWA (2017): Ableitung von Geringfügigkeitsschwellenwerten für das Grundwasser: Per- und polyfluorierte Chemikalien (PFC). Bund/Länder-Arbeitsgemeinschaft Wasser. 28. 07. 2017. https://www.lawa.de/documents/03_anlage_3_bericht_gfs_fuer_pfc_endfassung_22_11_2017_2_1552302208.pdf
149. WHO/IPCS (2009): Assessment of combined exposures to multiple chemicals: report of a WHO/IPCS international workshop on aggregate/cumulative risk assessment. https://apps.who.int/iris/bitstream/handle/10665/44113/9789241563833_eng.pdf?sequence=1&isAllowed=y
150. Umweltbundesamt (2011): Arbeitshilfe zur Expositionsabschätzung und Risikoanalyse an kontaminierten Standorten. <https://www.umweltbundesamt.at/fileadmin/site/publikationen/REP0351.pdf>
151. ITVA-E1-AH7 (2020): Draft: Arbeitshilfe zur standortspezifischen humantoxikologischen Gefährdungsabschätzung und Ableitung von Maßnahmenwerten zum Management von schädlichen Bodenveränderungen oder Altlasten. Entwurf 2020.
152. IPCS / WHO (2010): WHO Human Health Risk Assessment Toolkit: Chemical Hazards. 88 pages. https://apps.who.int/iris/bitstream/handle/10665/44458/9789241548076_eng.pdf;jsessionid=B27779C17F31F535ED9F5AD57DA7D023?sequence=1
153. Umweltbundesamt (2020): Senkung der Vorsorge-Maßnahmenwerte für PFOA/PFOS im Trinkwasser. <https://www.umweltbundesamt.de/senkung-der-vorsorge-massnahmenwerte-fuer-pfoapfos>
154. LANUV (2022): Bewertungsmaßstäbe für PFAS-Konzentrationen für NRW. Leitfaden des Bundes zur PFAS-Bewertung, in NRW per Erlass vom 04.03.2022 eingeführt. <https://www.lanuv.nrw.de/umwelt/gefahrstoffe/pfc/bewertungsmassstaebe#c6521>
155. ATSDR (2021): Toxicological Profile for Perfluoroalkyls. Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/toxprofiles/tp200-p.pdf>
-

-
156. MDHHS (2019): Michigan Department of Health and Human Services, Division of Environmental Health Michigan PFAS Action Response Team Human Health Workgroup. Public health drinking water screening levels for PFAS. https://www.michigan.gov/documents/pfasresponse/MDHHS_Public_Health_Drinking_Water_Screening_Levels_for_Pfas_651683_7.pdf
157. TCEQ (2016) : Perfluoro Compounds (PFCs): RfD Values. Texas Commission on Environmental Quality <https://www.tceq.texas.gov/assets/public/implementation/tox/evaluations/pfcs.pdf>
158. NJ-DW-QI (2017): HEALTH-BASED MAXIMUM CONTAMINANT LEVEL SUPPORT DOCUMENT: PERFLUOROOCANOIC ACID (PFOA). New Jersey Drinking Water Quality Institute Health Effects Subcommittee February 15, 2017. <https://www.state.nj.us/dep/watersupply/pdf/pfoa-appendixa.pdf>
159. UBA (2020): Sanierungsmanagement für lokale und flächenhafte PFAS-Kontaminationen Anhang A. Texte 137/2020. Umweltbundesamt, Berlin. https://www.umweltbundesamt.de/sites/default/files/medien/1410/publikationen/2020-07-13_texte_137-2020_handbuch_pfas-anhang-a.pdf
160. UBA (2010): Sanierungsmanagement für lokale und flächenhafte PFAS-Kontaminationen Anhang B. Texte 137/2020. Umweltbundesamt, Berlin. https://www.umweltbundesamt.de/sites/default/files/medien/1410/publikationen/2020-07-13_texte_137-2020_handbuch_pfas-anhang-b.pdf
161. BfR (2018): Perfluorierte Verbindungen PFOS und PFOA sind in Lebensmitteln unerwünscht. Bundesinstitut für Risikobewertung. <https://www.bfr.bund.de/cm/343/perfluorierte-verbindungen-pfos-und-pfoa-sind-in-lebensmitteln-unerwuenscht.pdf>
162. State of New Hampshire Environmental Services (2019): Direct Contact Risk-Based Soil Concentrations for Perfluorooctanoic acid (PFOA), Perfluorooctane sulfonate (PFOS), Perfluorohexane sulfonic acid (PFHxS) and Perfluorononanoic acid (PFNA): State of New Hampshire, December 11, 2019. <https://www4.des.state.nh.us/nh-pfas-investigation/wp-content/uploads/Pfas-DCRB-value-121119.pdf>
163. US Department of Defense (Assessed 27/02/2022): Appendix I - PFAS Toxicity Profiles. <https://defence.gov.au/Environment/Pfas/docs/Tindal/Reports/201806HHRAAppIToxicityProfiles.pdf>
164. UBA (2016): HBM I values for Perfluorooctanoic acid (PFOA) and Perfluorooctanesulfonic acid (PFOS) in blood plasma Statement of the German Human Biomonitoring Commission (HBM Commission). Announcement of the German Environment Agency (UBA). Bundesgesundheitsbl 2016 · 59:1364 DOI 10.1007/s00103-016-2437-1. <https://link.springer.com/content/pdf/10.1007/s00103-016-2437-1.pdf>
<https://link.springer.com/article/10.1007/s00103-016-2437-1>
165. Wie-Chun Chou, Zhoumeng Lin (2020): Probabilistic human health risk assessment of perfluorooctane sulfonate (PFOS) by integrating in vitro, in vivo toxicity, and human epidemiological studies using a Bayesian-based dose-response assessment coupled with physiologically based pharmacokinetic (PBPK) modeling approach. Environment International, Volume 137, April 2020, 105581. <https://www.sciencedirect.com/science/article/pii/S016041201933805X>
<https://reader.elsevier.com/reader/sd/pii/S016041201933805X?token=134AF5A3441CFB49FFE7BBA90CE64A74DDF7936B3178BEF86DE71342FFBADF1A81613100CDB6638F9DEE07BFEF182C65&originRegion=eu-west-1&originCreation=20220227001829>
166. US-EPA (2021): Health & Environmental Research Online (HERO). United States Environmental Protection Agency. https://hero.epa.gov/hero/index.cfm/reference/details/reference_id/5026091
167. US-EPA (2019): Systematic Review Protocol for the Perfluorodecanoic Acid (PFDA) IRIS Assessments (Preliminary Assessment Materials). United States Environmental Protection Agency. https://cfpub.epa.gov/si/si_public_record_report.cfm?Lab=NCEA&count=10000&dirEntryId=345088&searchall=&showcriteria=2&simplesearch=0&timstype=
168. UPDS (2021): Les Polluants emergent. La Magasine des Professions de dépollution des sites. No 9, Juin 2021. https://www.fnade.org/ressources/_pdf/2/3425-UPSD_Mag_9.pdf
169. EFSA (2020): PFAS in Lebensmitteln: Risikobewertung und Festlegung einer tolerierbaren Aufnahmemenge durch die EFSA. European Food Safety Authority. 17.09.2020. <https://www.efsa.europa.eu/de/news/pfas-food-efsa-assesses-risks-and-sets-tolerable-intake>
170. Bil, W., Zeilmaker, M., Fragki, S., Lijzen, J., Verbruggen, E., Bokkers, B. (2020): Risk Assessment of Per- and Polyfluoroalkyl Substance Mixtures: A Relative Potency Factor Approach. Environ Toxicol Chem 2021;40:859–870. <https://setac.onlinelibrary.wiley.com/doi/epdf/10.1002/etc.4835>
-

171. Bil, Wieneke Bil Veronika Ehrlich, Guangchao Chen, Rob Vandebriel, Marco Zeilmaker, Mirjam Luijten, Maria Uhl, Philip Marx-Stoelting, Thorhallur Ingi Halldorsson, Bas Bokkers (2023) : Internal relative potency factors based on immunotoxicity for the risk assessment of mixtures of per- and polyfluoroalkyl substances (PFAS) in human biomonitoring. *Environ Int.* 2023 Jan;171:107727.doi: 10.1016/j.envint.2022.107727. Epub 2023 Jan 4. <https://pubmed.ncbi.nlm.nih.gov/36628859/>
172. PORTELIUS, E., DURIEU, E., BODIN, M., CAM, M., PANNEE, J., LEUXE, C., MABONDZO, A., OUMATA, N., GALONS, H., LEE, Y., CHANG, Y-T., STÜBER, K., KOCH, P., FONTAINE, G., POTIER, M-C., MANOUSOPOULOU, A., GARBIS, S., COVACI, A., VAN DAM, D., DE DEYN, P., KARG, F., FLAJOLET, M., OMORI, C., HATA, S., SUZUKI, T., BLENNOW, K., ZETTERBERG, K. and MEIJER, L. (2016): Specific triazine herbicides induce amyloid β 42 Production. *Journal of Alzheimer's Disease*, 54 (2016) p.1593–1605. <https://content.iospress.com/articles/journal-of-alzheimers-disease/jad160310>
173. B-LFU (2022): Vorläufige Leitlinien zur Bewertung von PFAS-Verunreinigungen in Wasser und Boden. Bayerisches Landesamt für Umwelt. Stand Juli 2022. https://www.lfu.bayern.de/analytik_stoffe/doc/leitlinien_vorlaufbewertung_pfc_verunreinigungen.pdf
174. Held, T. (2020) : Precursor. *Altlastenspektrum*. 06/2020.p. 225. https://www.altlastenspektrum-itva.de/neuheft6_20.html
175. Huang, S. & Jaffé, R. (2019): Defluorination of Perfluorooctanonic Acid (PFOA) and Perfluorooctane Sulfonate (PFOS) by Acidimicrobium sp. Strain A6. *Environmental Science & Technology*. 2019 Oct 1; 53(19):11410-11419. doi: 10.1021/acs.est.9b04047. <https://pubs.acs.org/doi/pdf/10.1021/acs.est.9b04047>
176. Georgi, J., Busch, J., Bruns, J., Mackenzie, K., Saeidi, N., Kopinke, F.D. (2020): Precursor. *Altlastenspektrum*. 06/2020, p. 232. https://www.altlastenspektrum-itva.de/neuheft6_20.html
177. Karg, F. & HINTZEN, U. (2023): PFAS sicher und preiswert sanieren. *VDI – Umweltmagazin (Verein Deutscher Ingenieure)*, 1 – 2 / 2023 Seiten 46 – 48. <https://elibrary.vdi-verlag.de/10.37544/0173-363X-2023-1-2/umweltmagazin-jahrgang-53-2023-heft-1-2?page=1>
178. Karg, F., Hintzen, U., Robin-Vigneron, L. & Mostersteg, (2022): Einzelfallprüfung bei PFAS: Anwendung der neuen Mantelverordnung für verhältnismässige und kostenoptimierte Sanierungen bei Vielstoffbelastung. (**Site specific Risk Assessment and Cost effective Site Remediation of PFAS**). *Altlastenspektrum* 06/2022, p. 180 – 192, ITVA December 2022. <https://altlastendigital.de/cc/einzelfallpruefung-bei-pfas/detail.html>
179. Karg, F. (2023) : Traitements in-situ des Polluants émergents dans les Sols et les Eaux souterraines - Exemples des aménagements des sites pollués par des HET-NSO & PFAS. *Minutes of Congress INTERSOL Lille / France : 29th to 31st of March 2023*.
180. Karg, F., SFSE et. al. (2023 en cours) : Guide et Fiches de gestion des pollutions par des PFAS. *Société Francophone de Santé en Environnement. Minutes of International PFAS Congress, Paris 13 & 14 June 2023*. https://hpc.ag/wp-content/uploads/PFAS-Congress-Abstract-SFSE-13-06-23-F_ChR.pdf
https://hpc.ag/wp-content/uploads/PFAS-Congress-Abstract-SFSE-13-06-23-E_ChR.pdf
181. Karg, F., Hintzen, U., Robin-Vigneron, L. et Girard, P. (2023) : PFAS : Chimie Environnementale, Diagnostics & Identification des Sources, Toxicologie et Evaluation des Risques (EQRS), incluent les FTOH. *PFAS / Environmental Chemistry Investigations, Source Identification, Toxicology and TERQ Risk Assessments, including FTOH*. Abstract submitted to the Congress “PFAS – Management of Environmental and Health risks”. Paris, June 13-14, 2023. <https://hpc.ag/wp-content/uploads/PFAS-Congress-Abstract-KARG-HPC-INTERNATIONAL-2023-F.pdf>
<https://hpc.ag/wp-content/uploads/PFAS-Congress-Abstract-KARG-HPC-INTERNATIONAL-2023-E.pdf>
182. Karg, F. & HUETTMANN, S. (2023) : Traitements durables in-situ des PFAS dans les sols et eaux souterraines contaminés, notamment par lavage via des Biopolymères protéiniques / Sustainable In-situ Treatments of PFAS in contaminated Soil and Groundwater, Washing with Protein Bio-polymers. Introduction. Abstract submitted to the Congress “PFAS – Management of Environmental and Health risks”. Paris, June 13-14, 2023. <https://hpc.ag/wp-content/uploads/PFAS-abstract-Sensatec-Huettmann-KARG-E.pdf>
<https://hpc.ag/wp-content/uploads/PFAS-abstract-Sensatec-Huettmann-KARG-F.pdf>

-
183. Executive Office of the President of the United States of America (2023): Per- and Polyfluoroalkyl Substances (PFAS) Report. Joint Subcommittee on Environment, Innovation and Public Health – Per- and Polyfluoroalkyl Substances Strategy Team of the National Science and Technology Council, Washington DC, March 2023. <https://www.whitehouse.gov/wp-content/uploads/2023/03/OSTP-March-2023-PFAS-Report.pdf>
184. Ladics G.S., Stadler J.C., Makovec G.T., Everds N.E., Buck R.C. Subchronic toxicity of a fluoroalkylethanol mixture in rats. *Drug Chem. Toxicol.* 2005;28:135–158. <https://pubmed.ncbi.nlm.nih.gov/15865257/>
185. Fasano W.J., Carpenter S.C., Gannon S.A., Snow T.A., Stadler J.C., Kennedy G.L., Buck R.C., Korzeniowski S.H., Hinderliter P.M., Kemper R.A. Absorption, distribution, metabolism, and elimination of 8-2 fluorotelomer alcohol in the rat. *Toxicol. Sci.* 2006; 91:341–355. <https://pubmed.ncbi.nlm.nih.gov/16543293/>
186. Sheng N., Zhou X., Zheng F., Pan Y., Guo X., Guo Y., Sun Y., Dai J. Comparative hepatotoxicity of 6:2 fluorotelomer carboxylic acid and 6:2 fluorotelomer sulfonic acid, two fluorinated alternatives to long-chain perfluoroalkyl acids, on adult male mice. *Arch. Toxicol.* 2017; 91:2909–2919 <https://pubmed.ncbi.nlm.nih.gov/28032147/>
187. Maras M., Vanparys C., Muylle F., Robbens J., Berger U., Barber J.L., Blust R., De Coen W. Estrogen-like properties of fluorotelomer alcohols as revealed by mcf-7 breast cancer cell proliferation. *Environ. Health Perspect.* 2006;114:100–105. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1332663/>
188. Vanparys C., Maras M., Lenjou M., Robbens J., Van Bockstaele D., Blust R., De Coen W. Flow cytometric cell cycle analysis allows for rapid screening of estrogenicity in MCF-7 breast cancer cells. *Toxicol. In Vitro.* 2006;20:1238–1248. <https://pubmed.ncbi.nlm.nih.gov/16797915/>
189. Rosenmai A.K., Taxvig C., Svingen T., Trier X., van Vugt-Lussenburg B.M., Pedersen M., Lesne L., Jegou B., Vinggaard A.M. Fluorinated alkyl substances and technical mixtures used in food paper-packaging exhibit endocrine-related activity in vitro. *Andrology.* 2016;4:662–672. [PubMed] [Google Scholar]
190. Liu C., Deng J., Yu L., Ramesh M., Zhou B. Endocrine disruption and reproductive impairment in zebrafish by exposure to 8:2 fluorotelomer alcohol. *Aquat. Toxicol.* 2010;96:70–76 <https://pubmed.ncbi.nlm.nih.gov/27152447/>
191. Mukerji P., Rae J.C., Buck R.C., O'Connor J.C. Oral repeated-dose systemic and reproductive toxicity of 6:2 fluorotelomer alcohol in mice. *Toxicol. Rep.* 2015;2:130–143. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5598097/>
192. Mylchreest E., Munley S.M., Kennedy G.L., Jr Evaluation of the developmental toxicity of 8-2 telomer B alcohol. *Drug Chem. Toxicol.* 2005;28:315–328 <https://pubmed.ncbi.nlm.nih.gov/16051557/>
193. SLU (Swedish University of Agricultural Science) / Bo Sha (2017): Perfluoroalkyl substances (PFASs), flame retardants and cyclic volatile methylsiloxanes in indoor air in Uppsala, Sweden – occurrence and human exposure assessment. Department of Aquatic Sciences and Assessment Master thesis • 30hec • Advanced level A2E. Sustainable Development, Uppsala 2017 . https://stud.epsilon.slu.se/10280/1/sha_b_170913.pdf
194. CE (2022): RÈGLEMENT (UE) 2022/2388 DE LA COMMISSION du 7 décembre 2022 modifiant le règlement (CE) no 1881/2006 en ce qui concerne les teneurs maximales en substances perfluoroalkylées dans certaines denrées alimentaires le nouveau règlement (UE) 2022/2388. <https://eur-lex.europa.eu/legal-content/FR/TXT/HTML/?uri=CELEX:32022R2388>
195. Karg. F. (2023) : Pollution par PFAS volatils : risques pour la santé dus aux émanations et contaminations de l'air ambiant. Minutes du Congrès Atmosfair, Paris 27 & 28/06/2023. <https://hpc.ag/wp-content/uploads/PFAS-AtmosFair-KARG-HPC-INTERNATIONAL-27-06-2023-F.pdf>
<https://hpc.ag/wp-content/uploads/PFAS-Atomsfair-Karg-HPC-INTERNATIONAL-E-2023.pdf>
196. Kolossa-Behring. M. / UBA : HBM4EU (Human Bio Monitoring for Europe) : Résultats de Biomonitoring et de Bio-accumulation des PFAS : Minutes du Congrès PFAS, le 20 Septembre 2022 à Paris. https://www.saturne.net/mud/index.php?d=pfas_congress22_abstracts_pg
-